



PRODUCT BENEFITS

- Burglary resistance in accordance with the European standard, EN 1143-1, as certified by ECB•S for Grade III. Meets the demands of all Insurance Companies when it comes to burglary resistance.
- Tested by an independent, ISO 17025 accredited laboratory according to the NT Fire 017 – 60 Paper standard with certification managed by ECB•S. Protects your vital documents from the affects of fire.
- All sizes can be trusted to protect their contents not just against unauthorised forced burglary attack but also against the extreme temperatures experienced during fire.
- Supplied with one key lock as standard with the option of a factory fitted electronic lock or optional two locks. This gives the flexibility to customise how DuoForce can be secured and operated.
- DuoForce Grade III introduces a new small size, Model 40; ideally suited to Residential clients requiring the safe storage of jewelry and valuables or needing to comply with local legislation concerning gun storage.
- Ergonomic soft-touch handle and a range of internal fittings to maximise storage capacity.

MANUFACTURING CERTIFICATIONS

We list sustainability very highly on our agenda; setting high standards for our products, our employee working conditions and for the environment in which we live. Duoforce is manufactured under the most stringent of production environments in our advanced Doetinchem production facility in the Netherlands – a factory that is ISO-certified by DEKRA according to ISO 9001, ISO 14001 and ISO 45001 standards, and demonstrates our commitment to Gunnebo Sustainability Approach. The dedicated European manufacturing approach is not only environmentally more friendly, it also ensures a more efficient, shorter and better supply chain for customers in Europe.



ENVIRONMENTAL PRODUCT DECLARATION FOR DUOFORCE GRADE III

Gunnebo has become the first company in the physical security industry to issue Environmental Product Declarations (EPD) on its products. This is an important achievement demonstrating our commitment to fact-based sustainability reporting and reduced carbon emissions across our business and product range.

EPDs are an internationally recognised, third-party verified statement of a product's environmental impact during its entire life cycle, from raw material extraction to decommissioning and disposal.

Gunnebo has attained a third-party verified EPD for the Chubb safes DuoForce Grade III. The specific EPD is published on environdec.com

SPECIFICATIONS

Key Specifications

Certification Standard: EN 1143-1 and NT Fire 017

Protection or Resistance Level: Grade III and 60 min Paper

Certification Body: ECB•S

Type of resistance: Burglary, Fire

Lock types: Key Lock, Electronic lock

Valuables to protect: Cash, Documents, Data Media, Collectables, Jewellery, Other valuables

Manufacturing Certifications: ISO 9001 (Quality Management System), ISO 14001 (Environmental Management System) and ISO 45001 (Occupational Health & Safety System)

Documents

PRODUCT SHEET

USER MANUAL

BROCHURE – COMMERCIAL USE

BROCHURE – RESIDENTIAL USE

FULL SPECIFICATIONS

DUOFORCE GRADE III

| MODE L | EXTER NAL | EXTER NAL | EXTER NAL | INTER NAL | INTER NAL | INTER NAL | CAPAC ITY | NET WEIGH T (KG) | NO. OF SHELV ES |
|-----------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|------------------------|-----------------------|
|-----------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|------------------------|-----------------------|

| | HEIGH T (MM) | WIDTH (MM) | DEPTH (MM) | HEIGH T (MM) | WIDTH (MM) | DEPTH (MM) | (LITRES) | | |
|-------|-----------------|---------------|---------------|-----------------|---------------|---------------|--------------|-----|---|
| M-40 | 537 | 451 | 525 | 412 | 326 | 327 | 43 | 200 | 1 |
| M-65 | 565 | 537 | 582 | 440 | 412 | 384 | 69 | 260 | 1 |
| M-120 | 725 | 635 | 617 | 600 | 510 | 419 | 127 | 380 | 2 |
| M-160 | 910 | 635 | 617 | 785 | 510 | 419 | 167 | 465 | 2 |
| M-225 | 1185 | 635 | 617 | 1060 | 510 | 419 | 226 | 600 | 2 |

