

SPILL TRAYS • BUND FLOORING • DRUM AND IBC SPILL CONTAINMENT • TROLLEYS AND CARTS

CABINETS • STORAGE CONTAINERS AND MUCH MORE



ROMOLD LTD®

specialist manufacturers of polyethylene products
www.romold.co.uk



ROMOLD LTD®

A UK manufacturer of high quality polyethylene products.



At ROMOLD we have been designing and manufacturing rotational moulded products since 1998. We are the UK's leading manufacturer of polyethylene spill containment products and we ship Worldwide.

Our ongoing product development programme has enabled us to expand our product range and reach new markets, providing innovative and practical solutions.



“ We are committed to manufacturing high quality products and providing our customers with a fast, flexible and friendly service. ”

Quality and Environmental Standards

Our Quality Management System for product design and manufacture is ISO 9001: 2000 accredited. Our commitment to the environment is evident through our environmentally conscious product design, our use of recyclable materials and our ISO 14001 accredited Environmental Management System.



Trade Only

Being a Trade Only supplier means that ROMOLD can concentrate on manufacturing, product development and supporting distributors. Working closely with our distributors we have enhanced existing products and introduced new ranges. We encourage distributor interaction and use the shared creativity and knowledge to meet customer needs and market demands.

ROMOLD Distributors benefit from:

- Excellent product availability through our large on-site stock
- Fast delivery direct to distributor or their client
- Flexible service that supports “bulk” and “no minimum” orders
- Large range of quality products
- Support and advice on technical, product and regulatory matters
- Friendly UK manufacturing partner
- Product images and data sheets



contents

Spill Trays	1-6
Drum Funnels, Lids & Trays	7
Bund Flooring	8-9
Drum Spill Pallets	10-12
Covered Drum Spill Pallets	13-14
Hard Covered Drum Spill Pallets	15-16
Pallet Converters	17
Horizontal Drum Trolley, Bund & Dispensers	18-19
Drum Dollies & Trolleys	20
Rack Bunds	21-22
IBC Spill Pallets	23-26
Covered IBC Spill Pallets	27-28
IBC Funnel With Lid	28
Poly Cart & Poly Work Cart	29
Poly Roll Holders	30
Poly Dispensing & Work Stands	31-32
Drum Overpack	32
Cabinets	33-34
Poly Maintenance Carts	35-36
General Purpose Storage Containers	37-38
Poly Storage Bins	39-40
Universal Beam Protectors	41-42
Impact Protectors	42
Chemical Compatibility Guide	43
Additional Information	44

Extensive Manufacturing and Storage Facilities



5,200m² production, development, warehousing and office space.

Rotational Moulded Products



A fabricated steel mould is filled with coloured polyethylene powder.



The mould is rotated in a specialised oven.



The powder transforms to liquid creating a plastic skin inside the mould.

The design and construction of the mould, the quantity, type and mix of powder, the temperature and exposure times are all crucial factors in creating a successful product. The finished product is durable, chemical resistant and fully recyclable.

Storage Regulations

There are a growing number of strict environmental regulations and Codes of Practice covering the storage of industrial fluids such as oils, solvents and chemicals. Mandatory legislation comes with heavy penalties for any company found to be non-compliant. Our products are designed with UK, EC and Worldwide bunding regulations in mind so we can advise on the most suitable products for a fully compliant solution.

For more information contact us on +44 (0) 1506 409973, email us at enquiries@romold.co.uk or visit www.romold.co.uk

SPILL TRAYS

Romold's practical spill tray range

Our Spill Tray range is the most comprehensive available. They are the ideal solution for catching spills in the work area and the storage and handling of smaller drums and containers.


Spill Trays are compact and lightweight and can fit into small areas. Strong, easy to clean and compatible with most liquids.

With sump capacities up to 145ltr, available in a range of sizes our Spill Tray range provide a practical, simple and safe solution for small liquid storage, handling and spillage needs.

The ST range can be used and purchased with or without grids.

Applications

- Container spill tray
- Liquid dispensing work area
- Laboratory tray
- Vehicle and equipment leak spill tray
- Machine part cleaning
- Solvent and ink storage
- Battery storage
- Chemical dosing point tray



IDEAL FOR GENERAL "HOUSEKEEPING" AND SPILL CONTROL



ST20

length 595mm width 395mm height 170mm
weight 3.5kg sump 22ltr UDL 55kg




ST20
BASE

length 595mm
width 395mm
height 170mm
weight 2kg
sump 22ltr
UDL 55kg



ST20
GRID

length 575mm
width 375mm
height 25mm
weight 1.5kg
sump n/a
UDL 55kg



ST30

length 805mm width 405mm height 170mm
weight 4.5kg sump 31ltr UDL 55kg




ST30
BASE

length 805mm
width 405mm
height 170mm
weight 2.5kg
sump 31ltr
UDL 55kg



ST30
GRID

length 785mm
width 375mm
height 25mm
weight 2kg
sump n/a
UDL 55kg



ST40

length 800mm width 605mm height 170mm
weight 7kg sump 43ltr UDL 105kg



ST40
BASE

length 800mm
width 605mm
height 170mm
weight 4kg
sump 43ltr
UDL 105kg



ST40
GRID

length 790mm
width 585mm
height 25mm
weight 3kg
sump n/a
UDL 105kg






ST60

length 1000mm
width 605mm
height 200mm
weight 10kg
sump 63ltr
UDL 205kg



ST60 BASE

length 1000mm
width 605mm
height 200mm
weight 5.5kg
sump 63ltr
UDL 205kg



ST60 GRID

length 985mm
width 585mm
height 35mm
weight 4.5kg
sump n/a
UDL 205kg



ST100

length 1195mm
width 795mm
height 185mm
weight 14kg
sump 104ltr
UDL 205kg



ST100 BASE

length 1195mm
width 795mm
height 185mm
weight 8kg
sump 104ltr
UDL 205kg




ST100 GRID

length 790mm
width 585mm
height 25mm
weight 3kg x 2
sump n/a
UDL 205kg

BB25

length 550mm
width 550mm
height 110mm
weight 5kg
sump 27.5ltr
UDL 50kg



▲ designed for 1 x 25ltr container

BB50

length 715mm
width 460mm
height 110mm
weight 5.5kg
sump 27.5ltr
UDL 50kg



▲ designed for 2 x 25ltr containers

BB100

length 920mm
width 720mm
height 175mm
weight 15kg
sump 100ltr
UDL 200kg



▲ designed for 4 x 25ltr containers

IDEAL FOR GENERAL "HOUSEKEEPING" AND SPILL CONTROL

GPT1

length 730mm
width 730mm
height 295mm
weight 6kg
sump 110ltr
UDL 250kg



GPT2

length 1290mm
width 730mm
height 295mm
weight 10kg
sump 230ltr
UDL 600kg



BT50

diameter 870mm
height 190mm
weight 5kg
sump 50ltr



TTS

length 630mm
width 590mm
height 170mm
weight 3kg
sump 45ltr



TTL

length 1450mm
width 840mm
height 70mm
weight 8kg
sump 60ltr



TTHD

length 1460mm
width 960mm
height 120mm
weight 12kg
sump 145ltr
UDL 650kg



 Low profile, ideal for use under vehicles

IDEAL FOR GENERAL "HOUSEKEEPING" AND SPILL CONTROL

TTXS

length 598mm
width 395mm
height 50mm
weight 2.5kg
sump 8ltr



TTXS is grey, all other
TT trays are black

TTXM

length 574mm
width 390mm
height 53mm
weight 0.9kg
sump 10ltr



TTXL

length 1200mm
width 550mm
height 50mm
weight 2.6kg
sump 30ltr



TT9

length 790mm
width 400mm
height 50mm
weight 1.2kg
sump 9ltr



TT28

length 645mm
width 490mm
height 120mm
weight 1.3kg
sump 28ltr




TT64

length 800mm
width 800mm
height 120mm
weight 2.6kg
sump 64ltr



TT65

length 1000mm
width 550mm
height 150mm
weight 2kg
sump 65ltr



TT100

length 1000mm
width 1000mm
height 120mm
weight 4kg
sump 100ltr

DRUM ACCESSORIES

Romold's Drum Lids and Funnels

Our Drum Lids and Funnels provide simple ways to collect liquids, keep drum tops dry and help prevent spills.

They are manufactured from easy to clean polyethylene and are compatible for use with most liquids - see page 43 for further details.

Drum Lid

DL1
diameter 650mm
height 70mm
weight 4kg



Drum Funnel with Lid

DF1
diameter 610mm
height 230mm
weight 4kg



DL2
diameter 630mm
height 160mm
weight 2kg



Made from the same flexible material as our Palcons ensuring a tight fit around the top of the drum

BT75 DRUM WASH STATION

diameter 870mm
height 240mm
weight 5kg
sump 50ltr



Shown with optional plug



BT75PLUG

optional plug for use with BT75



BUND FLOORING

Romold's
complete
spill flooring
solution

Our Bund Floor range is the flexible decking solution for creating liquid handling workstations and storage areas to fit your working environment.

Available in 3 sizes each unit can be used as a standalone workstation or combined to create multiple workflow configurations.

Each individual unit is compliant with current oil storage regulatory requirements -

- BF2 for up to 4 x 100ltr drums
- BF4 and BF4S for up to 4 x 205ltr drums each.

The low height and a choice of two ramps enables easy access for loading and unloading. Optional joint strip covers can be added for a superior finish and optional bund connectors added to link sumps.

Applications

- Modular workflow area
- Liquid dispensing workstation
- "Quarantine area" for leaking containers
- Drum storage & handling area
- Machine part cleaning area
- Ink storage bund
- Oil storage bund
- Lubricant treatment area



BFR

length 650mm
width 800mm
height 160mm
weight 8kg
UDL 1000kg



BFR2

length 1740mm
width 1000mm
height 160mm
weight 28kg
UDL 1000kg



BF2

length 1260mm
width 860mm
height 150mm
weight 20kg
sump 130ltr
UDL 1000kg



BF4

length 1660mm
width 1260mm
height 150mm
weight 38kg
sump 300ltr
UDL 2000kg



BF4S

length 2610mm
width 895mm
height 150mm
weight 42kg
sump 300ltr
UDL 2000kg



BFC

length 790mm
diameter 400mm
weight 0.6kg



BFS2

length 1260mm
width 60mm
width (wings) 135mm
height 35mm
weight 1.5kg



BFS4

length 1660mm
width 60mm
width (wings) 135mm
height 35mm
weight 2kg

Romold's banded
drum storage
solutions

DRUM BUNDS

Our quality drum Bund Pallet range is designed for the safe and bund regulation compliant storage of 205ltr drums.

Available in 1, 2, 3, 4 and 8 drum versions. These robust units are made from 100% polyethylene with broadband chemical compatibility.

Features

- Corrosion free
- Bund regulation compliant
- Easily cleaned
- Covered range for outdoors
- Removable plastic grids
- Compatible with most liquids

BP1

length 900mm
width 700mm
height 525mm
weight 22kg
sump 225ltr
UDL 300kg



▲ designed for 1 x 205ltr drum

BP2

length 1220mm
width 820mm
height 330mm
weight 23kg
sump 240ltr
UDL 650kg



▲ designed for 2 x 205ltr drums

BP2FW

length 1220mm
width 820mm
height 345mm
weight 27kg
sump 230ltr
UDL 1200kg



▲ heavy duty four way entry spill pallet designed for 2 x 205ltr drums

BP3

length 1785mm
width 780mm
height 240mm
weight 30kg
sump 228ltr
UDL 900kg



▲ designed for 3 x 205ltr drums

BP4

length 1310mm
width 1310mm
height 370mm
weight 40kg
sump 410ltr
UDL 1250kg



▲ ramp available, model BFR5 see page 16 for details



▲ designed for 4 x 205ltr drums, has additional sump capacity

BP4L

length 1280mm
width 1280mm
height 275mm
weight 29kg
sump 230ltr
UDL 1250kg



Low profile

▲ designed for 4 x 205ltr drums

BFR3

length 1740mm
width 1000mm
height 275mm
weight 33kg
UDL 1000kg



◀ BFR3 for use with BP4L

BP4FW

Heavy duty 4 way entry
spill pallet 4 x 205ltr drums ▼

length 1220mm
width 1220mm
height 390mm
weight 40kg
sump 250ltr
UDL 3000kg



BFR4

length 1740mm
width 1000mm
height 390mm
weight 36kg
UDL 1000kg



◀ BFR4 for use with BP4FW

BP8

length 2560mm
width 1350mm
height 510mm
weight 116kg
sump 1140ltr
UDL 2500kg



▲ designed for 8 x 205ltr drums
or 2 x 1000ltr IBC's

COVERED DRUM BUNDS

Factory modified drum bunds with frame, roof & cover, requires simple assembly on site

designed for up to
3 x 205ltr drums ▶



BP3C

length 1785mm
width 780mm
height 1975mm
weight 58kg
sump 228ltr
UDL 900kg

designed for up to
4 x 205ltr drums ▶



Cover protects bund and
drums from rainwater

BP4C

length 1415mm
width 1310mm
height 1870mm
weight 54kg
sump 410ltr
UDL 1250kg

designed for up to
8 x 205ltr drums
or 2 x 1000ltr IBC's ▶



BP8C

length 2560mm
width 1350mm
height 2080mm
weight 156kg
sump 1140ltr
UDL 2500kg

BP3C designed for up to 3 x 205ltr drums



shown without cover



ready to despatch

BP4C designed for up to 4 x 205ltr drums



shown without cover



ready to despatch

BP8C designed for up to 8 x 205ltr drums or 2 x 1000ltr IBC's



shown without cover



ready to despatch

HARD COVERED DRUM BUND PALLETS

Features & Applications


Models BP2HC and BP4HC

- 100% recyclable polyethylene
- Hard covered bundled store
- For 2 and 4 x 205ltr drums or smaller containers
- Lockable shutter door
- Integral base fork pockets
- Delivered fully assembled



BP2HC

length 1490mm
width 990mm
height 1690mm
weight 85kg
sump 230ltr
UDL 650kg



◀ BFR5 for use with BP2HC, see page 16 for details

The BP2HC range can be fitted with a padlock, not provided



BP2HC

weight 85kg



BP2HCS

weight 90kg
supplied with
three tier plastic
shelving unit ▶

length 900mm
width 400mm
height 970mm
UDL 50kg



BP2HCH

weight 95kg
supplied with
steel horizontal
drum cradle ▶

length 1210mm
width 810mm
height 470mm
UDL 300kg

BP4HC

length 1470mm
width 1420mm
height 2070mm
weight 121kg
sump 410ltr
UDL 1250kg



The BP4HC is fitted with a lock, two keys provided



BFR5 for use ▶
with BP4, BP2HC
and BP4HC

BFR5

length 1740mm
width 1000mm
height 370mm
weight 38kg
UDL 1000kg



▲ front open view

PALLET CONVERTER

Turn a standard pallet into a banded pallet

Place the Palcon over an existing pallet and it is ready to use. The unique compressible front allows drums on a second pallet to be lowered into the Palcon by a forklift truck. When the forks are withdrawn the front returns to its normal height creating the bund.

Features

- Made from flexible plastomer
- Lightweight and easy to handle
- 2 drum and 4 drum versions
- Broadband chemical compatibility
- Compliant with UK Oil Storage Regulations
- Unique compressible front

PALCON2

length 1500mm
width 1100mm
height 440mm
weight 17kg
sump 250ltr



Palcon2 must be used with 1200mm x 800mm wooden or plastic pallets

PALCON4

length 1500mm
width 1300mm
height 440mm
weight 19kg
sump 310ltr



Palcon4 must be used with 1200mm x 1000mm wooden or plastic pallets

Easy three stage operation



DRUM DISPENSING & TRANSPORTATION

Ensure your drums are fully banded even when being transported.

Simple to use, one person operation.

Dispense without the worry of spills.



BT230

length 1600mm
width 740mm
height 640mm
weight 42kg
sump 230ltr
UDL 300kg



HORIZONTAL DRUM BUNDING & STORAGE

DBC

length 1240mm
width 795mm
height 370mm
weight 13kg
UDL 600kg

DB4

length 1390mm
width 1250mm
height 490mm
weight 50kg
sump 400ltr
UDL 1250kg



This versatile system maximises floor space by stacking up to 4 steel drums horizontally above a 400ltr sump. Dispense from any of the drums in the safe knowledge that any leaks or spills will be contained.

DBC is the cradle.

DB4 is the base unit.

SBS

length 875mm
width 765mm
height 730mm
weight 10kg
colour black



Versatile Bunded Dollies and Trolleys

VERSATILE BUNDED DOLLIES & TROLLEYS

The Poly Drum Dollies are a safe and robust solution for moving 205ltr drums. The PDDH includes a steel handle making it ideal for moving smaller containers, boxes and batteries.

The Bunded Trolley was designed to safely transport up to four 25ltr drums, but it has numerous other uses throughout the workplace.

Features & Applications

- Made from sturdy 100% polyethylene
- Ideal for drums and smaller containers
- Lightweight and easy to handle
- Broadband chemical compatibility
- 4 castors for added stability - 2 lockable
- Sump base to contain spills

BT100

length 1000mm
width 700mm
height 1000mm
weight 15kg
sump 100ltr
UDL 100kg



PDD

length 725mm
width 725mm
height 255mm
weight 14kg
sump 30ltr
UDL 300kg



PDDH

length 725mm
width 725mm
height 990mm
weight 15.5kg
sump 30ltr
UDL 300kg



RACK BUNDS

Turn standard racking into banded racking

Turn standard pallet racking into banded racking by using Rack Bunds from Romold.


Made from 100% polyethylene, the rack bund sits across the beams and the pallet of containers sits inside the rack bund.

Simple to use and easy to install.

Features

- Stop leaks damaging other products
- Use with existing racking
- Sits on cross beams
- Compliant with most bunding regulations
- Broadband chemical compatibility
- Segregate liquids

RB1
 length 1310mm
 width 1310mm
 height 245mm
 weight 17kg
 sump 220ltr



▲ simply sits across the beams, the pallet sits inside the bund




▲ with optional Grid Mesh RBGRID see page 22

UDL is dependent on rack rating

RB2

length 2620mm
width 1310mm
height 325mm
weight 30kg
sump 620ltr



▲ simply sits across the beams, the pallet sits inside the bund

RBGRID

length 1200mm
width 1200mm
height 60mm
weight 14kg



▲ with optional Grid Mesh

UDL is dependent on rack rating

IBC BUNDS

Romold's bundled IBC storage solutions

Features

Our extensive IBC Spill Containment range is specifically designed to meet the growing IBC user market. Made from 100% corrosion free polyethylene, these sturdy units are UK, EC and Worldwide bunding regulation compliant. We produce single and double IBC units, dispensing and filling accessories.

- Corrosion resistant
- Suitable for most IBC footprints
- Integral base fork pockets
- Removable decking to assist cleaning
- Robust 100% polyethylene construction

Single IBC Bund Pallets models BB1, BB1D and BB3
Decanting/Overflowing Tray model BB1T

BB1

length 1760mm
width 1350mm
height 710mm
weight 91kg
sump 1100ltr
UDL 1500kg



▲ suitable for 1 x 1000ltr IBC

BB1T

length 525mm
width 545mm
height 835mm
weight 8.5kg
capacity 86ltr

overflow tray for ►
use with BB1 &
BB1C, liquid overflows
into main sump



BB1FW

length 1230mm
width 1230mm
height 1090mm
weight 62kg
sump 1150ltr
UDL 3000kg

Single IBC bund pallet with four way base entry and removable grid mesh



▲ suitable for 1 x 1000ltr IBC

BB1D

length 2065mm
width 1445mm
height 705mm
weight 79kg
sump 1100ltr
UDL 1500kg



Single IBC secondary containment solution with integral dispensing area



BB3

length 1590mm
width 1455mm
height 715mm
weight 77kg
sump 1125ltr
UDL 1500kg



Features & Applications

DOUBLE IBC BUNDS & OPTIONAL OVERFLOW TRAYS

- For 2 x 1000ltr IBCs or 2 x 1200mm x 1100mm pallets
- Made from polyethylene
- BB2 is fitted with grids
- BB4 has integral upstand supports
- Base fork pockets

Double IBC Bund Pallets models BB2 and BB4
Decanting/Overflow Trays models BB2T and BB4T

BB2

length 2560mm
width 1350mm
height 510mm
weight 116kg
sump 1140ltr
UDL 2500kg



▲ double IBC secondary containment solution - can also take up to 8 x 205ltr drums



BB2T

length 530mm
width 520mm
height 530mm
weight 4kg
capacity 86ltr



▲ shown with optional BB2T overflow tray

BB4

length 2340mm
width 1360mm
height 520mm
weight 66kg
sump 1150ltr
UDL 2800kg



▲ BB4 without optional BB4Ts

BB4T

length 530mm
width 520mm
height 530mm
weight 4kg
capacity 86ltr



▲ shown with 2 x optional BB4T overflow trays

COVERED IBC BUNDS & OPTIONAL OVERFLOW TRAY

Covered models are supplied flat pack for customer assembly

BB1C

length 1760mm
width 1350mm
height 2410mm
weight 119kg
sump 1100ltr
UDL 1500kg



shown with optional
BB1T overflow tray,
see page 23 for details

single IBC covered bunds
complete with frame, roof
and cover with either roll
up (BB1C) or roller shutter
door (BB1CR)



BB1CR

length 1760mm
width 1350mm
height 2410mm
weight 130kg
sump 1100ltr
UDL 1500kg



COVERED IBC BUND WITH LOCKABLE ROLLER DOOR, SUPPLIED WITH TWO KEYS

BB2C

length 2560mm
width 1350mm
height 2210mm
weight 166kg
sump 1140ltr
UDL 2500kg

double IBC secondary containment system complete with frame, roof panels and cover



Cover protects bund and IBC's from rain water

shown with optional BB2T overflow tray, see page 25 for details



▲ BB2C shown packed prior to despatch



▲ BB2C shown once assembled on site

DF200

diameter 640mm
height 150mm
weight 4kg



▲ IBC funnel with lid and integral debris strainer

POLY CART AND POLY WORK CART

Flexible
solutions with
Romold's carts

The Poly Cart provides a simple, fast and effective solution for cleaning up spills in the workplace or treating snow and ice on pavements and car parks.

The Poly Work Cart is a robust mobile workstation suitable for general maintenance and repair applications across all sectors.

Features & Applications

- Made from 100% polyethylene
- For indoor and outdoor use
- Lightweight and easy to manoeuvre
- Versatile carts with numerous uses
- Broadband chemical compatibility

PC

length 1360mm
width 710mm
height 965mm
weight 38kg
capacity 60ltr



PWC4

length 640mm
width 725mm
height 1075mm
weight 27kg
sump 45ltr



Lockable
front wheels

- Front hopper for sorbent granules, salt or grit - fitted with a lid
- Rear waste bag holder with lid
- A must have housekeeping cart
- Broom and shovel not provided

- Top external tray with central divide
- Fitted with a removable tray and a lockable door
- A must have maintenance cart
- Contents shown not provided

POLY ROLL HOLDERS

Worktop
dispensing units

The Poly Drum Holders are a flexible and robust range of roll dispensers that accept standard absorbent and paper rolls.

Ideal for environments where spills are likely and a fast cleanup is essential. Suitable for janitorial, engineering and general maintenance applications across all sectors.

The Poly Roll Holder can be placed on a worktop or on top of the Poly Work Cart to create a mobile spill station and maintenance cart.

Features

- Standalone unit or fits on our Poly Work Cart
- Accepts all standard roll sizes
- Lightweight and easy to clean
- Maintain a clean work environment



◀ PRHS

length 640mm
width 560mm
height 570mm
weight 8kg
max roll 430mm diam.
500mm wide



PRHL

length 640mm
width 625mm
height 580mm
weight 10kg
max roll 480mm diam.
520mm wide



All roll holders
fit on top of the
Poly Work Cart



◀ PRHXL

length 640mm
width 635mm
height 615mm
weight 11kg
max roll 550mm diam.
520mm wide



Features & Applications

POLY DISPENSING & WORK STANDS

Dispensing Stands models PDS (open fronted) & PDS (with lockable door). Work Stands models PWS (open fronted) & PWSD (with lockable door)

- PDS & PDS designed for absorbent dispensing
- Galvanised steel tube roll holder
- Made from 100% polyethylene
- PWS & PWSD designed for workstation applications
- Removable internal tray
- Tough, rigid construction



▲ PDS - open fronted

PDS

length 640mm
width 580mm
height 1180mm
weight 20kg
sump 48ltr



▲ PDS - has a lockable door



▲ PDS - inside view

PDS

length 640mm
width 580mm
height 1180mm
weight 24kg
sump 48ltr

PWS

length 640mm
width 580mm
height 980mm
weight 20kg
sump 48ltr



▲ PWS - open fronted



▲ PWS - has a lockable door

PWSD

length 640mm
width 580mm
height 980mm
weight 23kg
sump 48ltr



▲ PWSD - with removable tray in place

Features & Applications

DRUM OVERPACK

- Use to store & transport damaged drums
- Resistant to a whole range of chemicals
- Also use to store spill kits etc
- Lid fitted with neoprene seal
- Available in Yellow and Orange

**OPI**

diameter 830mm
height 1020mm
weight 22kg
capacity 340ltr



CABINETS

Polyethylene storage cabinets

A wide range of polyethylene cabinets all with lockable doors and built-in sumps.

Suitable for a wide variety of storage applications.

Cabinets available in different solid colours.

PSC1, PSC2, PSC4 and PSC5 are fitted with removable shelves.



PSC1

length 534mm
width 420mm
height 990mm
weight 15kg
sump 30ltr



PSC2

length 650mm
width 570mm
height 1650mm
weight 44kg
sump 70ltr





PSC3

length 740mm
width 920mm
height 1835mm
weight 50kg
sump 225ltr

Secure storage with integral sump



PSC4

length 740mm
width 920mm
height 1835mm
weight 60kg
sump 225ltr



PSC5

length 740mm
width 920mm
height 1520mm
weight 55kg
sump 100ltr

POLY MAINTENANCE CART

Romold's
mobile
maintenance
station

The Poly Maintenance Cart is a flexible and robust maintenance unit suitable for general maintenance and spill management applications across all sectors.

The body of the unit has secure internal storage for drums and containers whilst on top is a roll holder and hinged lid. The roll holder is suitable for absorbent rolls, general paper rolls or wipes.

Features

- Made from polyethylene
- Upper storage level suitable for 5ltr cans or absorbent pads
- Easy loading top roll holder
- Lightweight and manoeuvrable
- Lower storage level suitable for 20 to 25ltr plastic drums or absorbent socks
- Lockable door



PMCS4

length 640mm
width 725mm
height 1520mm
weight 36kg
sump 45ltr
max roll 430mm diam.
500mm wide





PMCL4

length 650mm
width 725mm
height 1520mm
weight 37kg
sump 45ltr
max roll 480mm diam.
520mm wide



Lightweight
and easy to
handle

Lockable front wheels



PMCXL4

length 650mm
width 725mm
height 1550mm
weight 37kg
sump 45ltr
max roll 550mm diam.
520mm wide



Features & Applications

GENERAL PURPOSE STORAGE CONTAINERS

Models GPSC1, GPSC1W, GPSC2 and GPSC2W

- Made from 100% recyclable polyethylene
- Tough, rigid construction
- For quantity orders lid hinges, locks and wheels require fitting on delivery. Fixings are provided, holes are pre-drilled
- Wide range of storage applications including spill kits, batteries etc
- Stackable for quantity shipping; lids are placed in top unit, components are placed within the stack

GPSC1

length 1150mm
width 1130mm
height 850mm
weight 32kg
capacity 600ltr
UDL 1000kg



GPSC1W (with wheels)

height 920mm
weight 43kg
UDL 300kg

For lightweight storage applications only



GPSC1LH

The GPSC1 & GPSC1W come with a loose lid as standard. If a lockable hinged lid, as shown above, is required please also order a GPSC1LH. This kit contains a lock and a pair of hinges, all holes will be drilled and fixings provided.

GPSC2

length 875mm
width 875mm
height 880mm
weight 22kg
capacity 250ltr
UDL 300kg



▲ GPSC2 on forks



Internal views of GPSC2



GPSC2W (with wheels)

height 1010mm
weight 25kg
UDL 150kg
For lightweight storage
applications only



GPSC2L

The GPSC2 comes with a hinged lid as standard. If a lockable hinged lid is required please also order a GPSC2L. This kit contains a lock, it will be fitted and two keys are provided.

POLY STORAGE BINS

Multi use
storage
bins

Large capacity Poly Storage Bins for both indoor and outdoor use. Robust polyethylene construction with integral base fork pockets make them easy to move and clean. These bins are ideal for lightweight storage applications and come with a loose lid as standard.



PSB's shown with optional lock, lifting knob & hinge kit, see page 40 for details

PSB3

PSB2

PSB1



PSB1

length 1265mm
width 855mm
height 910mm
weight 26kg
capacity 350ltr
UDL 300kg



PSB1W height 950mm, weight 40kg
not water tight



PSB2

length 1460mm
width 1010mm
height 975mm
weight 35kg
capacity 1000ltr
UDL 300kg



PSB2W height 1015mm, weight 40kg
water tight



PSB3

length 1630mm
width 1170mm
height 1125mm
weight 47kg
capacity 1400ltr
UDL 300kg



PSB3W height 1165mm, weight 52kg
water tight

PSB1LH, PSB2LH & PSB3LH

The PSB1, PSB1W, PSB2, PSB2W, PSB3 & PSB3W come with a loose lid as standard. If a lockable, hinged lid is required please also order either a PSB1LH, PSB2LH or PSB3LH. These kits contain a lock, a lifting knob (PSB1 and PSB2) and a pair of hinges. All holes will be drilled and fixings provided.

UNIVERSAL BEAM PROTECTORS

Protect your building columns


Romold's Universal Beam Protectors are manufactured from robust 100% polyethylene.

Designed for quick and simple fitting.

Protect your building columns and your forklift trucks.

Features


- Hi-vis yellow
- Bolts together in minutes
- Maintenance free
- Fits most universal beams



UBP1
length 640mm
width 500mm
height 1000mm
weight 34kg


UBP2
length 695mm
width 640mm
height 1000mm
weight 39kg

UBP3
length 360mm
width 350mm
height 945mm
weight 12kg



UBP4

length 515mm
width 490mm
height 945mm
weight 18kg



UBP5

length 360mm
width 350mm
height 945mm
weight 12kg



UBPI in position

All Universal Beam Protectors are two piece construction, nuts & bolts are supplied for securing them in place

IMPACT PROTECTORS

Heavy duty rotationally moulded strip & edge protectors for walls and corners prone to damage. Fix in place with bolts or screws, not provided

Impact protection and a visual warning

IPE

length 235mm
width 235mm
height 955mm
weight 5kg

IPS

length 1100mm
width 215mm
height 43mm
weight 3kg



Polyethylene Chemical Compatibility Guide

Acetaldehyde 40%	Butanol	Fuosiilic Acid	Methyl Amine 32%	Selenic Acid
Acetamide	Butyl Acetate	Formaldehyde 40%	Methyl Sulphate	Silicic Acid
Acetic Acid 10%	Butyl Alcohol	Formamide	Methyl Sulphuric Acid	Silver Nitrate
Acetone	Butylene Glycol	Formic Acid	Monochloroacetic Acid Ethyl Ester	Sodium Acetate sat.sol
Acrylonitrile	Butyric Acid	Fruit Pulp sol	Monnchloroacetic Acid Methyl Ester	Sodium Acrylates
Adipic Acid	Calcium Carbonate sat.sol	Furfural	Morpholin	Sodium Benzoate
Aliphatic Hydrocarbons	Calcium Chloride	Gallic Acid sat.sol	MowilithD	Sodium Bicarbonate
Allyl Alcohol 96%	Calcium Hydroxide	Gluconic Acid	Muriatic Acid	Sodium Bisulphate sat.sol
Alum (aqu.sol)	Calcium Hypochlorite sol	Glycerine	Nickel Chloride sat.sol	Sodium Bisulphite
Aluminium Chloride sat.sol	Calcium Nitrate 50%	Glycol	Nicotine Dilute	Sodium Bromide
Aluminium Fluoride	Calcium Sulphate sat.sol	Glycol Ethers	Nicotinic Acid	Sodium Carbonate
Aluminium Hydrogen sol 10%	Carbonic Acid (Aq.C02)	Glycolic Acid	Nitric Acid 25%	Sodium Chlorate
Aluminium Hydroxide	Carbon Monoxide	Heptane	n-Octane	Sodium Chloride
Aluminium Sulphate sat.sol	Caustic (Aqueous)	Hexane	Octyl Cresol	Sodium Chromate
Ammonia (Anhydrous)	Caustic Potash Sol. 50%	Hexanel Tert	Oleic Acid	Sodium Disulphite
Ammonia (aqu.sol)	Caustic Soda Sol. 10%	Hydrazine Hydrate	Orthophosphoric Acid 50%	Sodium Dithionite10%
Ammonia (100% Dry Gas)	Chloral Hydrate	Hydrosulphite 10%	Oxalic Acid	Sodium Ferricyanide
Ammonium Acetate	Chloroethanol	Hydroxylamine Sulphate	Paraffin Emulsions	Sodium Ferrocyanide sat.sol
Ammonium Bifluoride	Chloric Acid 10%	Hydrazine 35%	Paraffin Oil	Sodium Fluoride sat.sol
Ammonium Carbonate 50%	Chloroacetic Acid	Hydrazine Hydrochloride	Perchloric Acid 20%	Sodium Hydroxide Conc.
Ammonium Chloride	Chlorobenzene	Hydroiodic Acid	Phosphoric Acid 50%	Sodium Hypochlorite
Ammonium Hydrogen Fluoride 50%	Chrome Alum sat.sol	Hydrobromic Acid 50%	Phosphorous Yellow	Sodium Iodide
Ammonium Hydroxide	Chromic Acid sat.sol	Hydrocyanic Acid sat.sol	Phosphorous Pentoxide	Sodium Nitrate
Ammonium Metaphosphate sat.sol	Citric Acid 25%	Hydrochloric Acid 36%	Phtalic Acid	Sodium Oxalate
Ammonium Nitrate sat.sol	Clorox Bleach	Hydrofluoric Acid 40%	Phtalic Anhydride	Sodium Persulphate
Ammonium Persulphate sat.sol	Copper Cyanide	Hydrofluorasilicic Acid	Picric Acid 1%	Sodium Phosphate
Ammonium Phosphate	Copper Nitrate	Hydrogen Bromide 10%	Potash	Sodium Silicate
Ammonium Sulphide sat.sol	Copper Sulphate	Hydrogen Peroxide 20% Sulphates 50%	Potassium/Aluminum	Sodium Sulphate
Ammonium Thiocyanate sat.sol	Cresol 90%	Hydrogen Phosphide 100%	Potassium Bichromate	Sodium Sulphide
Amyl Acetate	Cresylic Acid	Hydrogen Sulphide	Potassium Borate 10%	Sodium Sulphonates
Amyl Alcohol	Crotonic Aldehyde	Hypochlorous Acid	Potassium Bromide	Sodium Thiosulphate
Antimony Salts	Cuprous Chloride sat.sol	Iodine (Alc. Sol.) Conc	Potassium Chlorate	Starch Solution sat.sol
Antimony Trichloride 90%	Cyclohexane	Iron (II) Chloride sat.sol	Potassium Chloride	Stearic Acid
Aqueous Alkalies (NaOH)	Cyclohexanol	Iron (II) Sulphate sat.sol	Potassium Chromate	Succinic Acid
Arsenic Acid	Dextrin sat.sol	Iron (III) Chloride sat.sol	Potassium Cyanide	Sulphur
Asorbic Acid 10%	Dextrose sat.sol	Iron (III) Nitrate sat.sol	Potassium Dichromate 40%	Sulphuric Acid 50%
Barium Carbonate sat.sol	Diethyl Carbonate	Iron (III) Sulphate sat.sol	Potassium Fluoride	Tannic Acid sol
Barium Chloride	Disodium Phosphate	Isopropanol	Potassium Hydroxide	Tanning Extracts
Barium Cyanide	Diethylene Glycol	Isopropyl Acetate	Potassium Iodide	Tartaric Acid sat.sol
Barium Hydroxide sat.sol	Diglycolic Acid 30%	Isopropyl Alcohol	Potassium Nitrate sat.sol	Tetraethyl Lead
Barium Nitrate	Dioxane	Lactic Acid (All Conc)	Potassium Perborate sat.sol	Tributylprophate
Barium Sulphate sat.sol	Electrolyte	Lead Acetate sat.sol	Potassium Perchlorate	Tricresyl Phosphate
Barium Sulphide	Ethanol	Magnesium Carbonate	Potassium Permanganate	Triethanolamine
Battery Fluid, Acid	Ethyl Alcohol	Magnesium Hydroxide	Potassium Persulphate sat.sol	Trisodium Phosphate sat.sol
Benzaldehyde	Ethylene Chlorohydrin	Magnesium Nitrate	Potassium Phosphates	Urea
Benzene Ethylene Diamine	Magnesium Oxide	Potassium Sulphate	Wetting Agents	
Benzoic Acid	Ethylene Glycol	Magnesium Sulphate	Propanol	White Acid 75%
Benzyl Alcohol	Ferric Chloride sat.sol	Maleic Acid	Propargyl Alcohol 7%	Yeast sol
Benzyl Chloroformate	Ferric Nitrate sat.sol	Malic Acid 1%	Propionic Acid 50%	Zinc Bromide sat.sol
Boric Acid Dilute	Ferric Salts	Mercury	Propyl Alcohol	Zinc Chloride sat.sol
Boric Acid Conc	Ferric Sulphate sat.sol	Methanol	Propylene Dichloride	Zinc Sulphate
Butadiene	Ferrous Sulphate	Methyl Acetate	Propylene Glycol	
Butanediol	Fluoboric Acid	Methyl Alcohol	Propylene Oxide	

Romold Limited – Terms and Conditions of Sale

Conditions applicable

These Conditions of Sale apply to all contracts for the supply of Goods or Service by Romold Ltd to you to the exclusion of all other terms and conditions. Any order from you gives rise to a binding contract with us only when we have notified you in writing that the order is accepted or when we have made delivery of the Goods to you (if sooner)

Specifications

All illustrations and specifications are given as a general idea of the Goods described and do not form part of a contract. We reserve the right to incorporate changes or make substitutions without prior notice. Dimensions may vary by +-2%

Prices

Prices quoted on the Romold Product Price List exclude Delivery and Value Added Tax where applicable unless specifically stated otherwise. Every effort is made to charge the prices set out in the most current Product and Delivery (UK only) Price Lists; however we reserve the right to increase the price payable for Goods or Delivery without prior notice.

Delivery

4.1 Delivery dates are estimated only and we shall not be liable for any loss or damage resulting from any delay. In particular we shall not be liable for any matter which results from an act of god, war or riot, extreme weather, strikes or any other events which are beyond our control.

4.2 We reserve the right to deliver Goods by instalments, each instalment being treated as a separate contract.

4.3 Risk in Goods will pass to you on delivery and you should insure accordingly.

4.4 Goods will be delivered at the point most convenient to our carrier. Further transfer at your or your customer's premises, particularly for large or heavy items, must be arranged prior to delivery and will be charged extra.

Claims

5.1 Claims for loss or non-delivery of Goods, damage, short delivery or non-compliance with descriptions must be notified in writing to us and the carrier as provided in the delivery note and in any event within 5 days of the delivery date. Original packaging must be returned with any damaged Goods. Claims will only be considered if these conditions are met. Our liability shall be limited to replacement free of charge or refund of the proportion of the price attributable to Goods undelivered or damaged at our option.

5.2 Goods are not sold for any particular purpose. We shall not be liable to you for any indirect or consequential loss arising out of or in connection with the sale of Goods to you.

Payment

6.1 Credit accounts are opened subject to status and are due strictly on 30 days from invoice date terms; otherwise payment is required with order. No set-off is permitted for any reason.

6.2 Where only part of the Goods ordered is dispatched, payment shall be made of the contract price attributed to that part.

6.3 Payment by cheque shall be treated as received once your cheque has cleared. In the case of late payment we reserve the right to charge interest at the daily rate of 4% per annum above the base rate of National Westminster Bank Plc both before and after judgment.

6.4 If any payment falls into arrears or you are the subject of any insolvency or related proceedings you must immediately notify us and we will have the right to cancel or postpone any contract, wholly or in part, and to be paid immediately for performance or part performance of any contract date.

Ownership of Goods

You will own Goods only once we have received payment in full of all sums owed by you. Until such time you must keep such Goods separate from your property, clearly identified as our property, and insured to their full reinstatement value. The proceeds of any insurance claim will belong to us. In the circumstances set out in clause 6.4 you shall allow us to enter your premises at any time in normal business hours to recover and/or resell Goods.

Cancellation and return of Goods

8.1 You may only cancel a Contract with our prior consent and on the basis that you will indemnify us against any costs or consequent losses.

8.2 The return of Goods will not be accepted for any reason without prior consent and you will pay any consequential costs

Warranty

Goods manufactured by Romold Ltd come with a 3 year guarantee against manufacturing defect only.

General Law

These conditions and any contract between us shall be subject to and construed in accordance with English law.

Acceptance of Terms of Business

On commencement of trade with Romold Limited the above terms of business become effective between both parties.

NEW PRODUCTS IN THIS ISSUE



ST20 - Page 2



ST30 - Page 2



ST40 - Page 2



ST60 - Page 3



ST100 - Page 3



GPT Trays - Page 5



TT Trays - Page 6



DL2 - Page 7



BP2FW - Page 11



BP4FW - Page 12



BP2HC - Page 15



BP4HC - Page 16



BB1FW - Page 24



BB3 - Page 24



BB4 - Page 26



BB1CR - Page 27



PDSD - Page 31



OP1 - Page 32



GPSC1 - Page 37



GPSC2 - Page 38

ROMOLD LTD®

4 Maxwell Square, Brucefield Industry Park, Livingston, EH54 9BL, UK

Telephone: +44 (0) 1506 409 973 Fax: +44 (0) 1506 415 619

Email: enquiries@romold.co.uk

www.romold.co.uk

